



246 Socket, reducing, ISO/EN M4

ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations. Steel parts are hexagonal instead of beaded at the end no. 1.

| EN | | Dim. (1-2) [inch] | Code | a [mm] | s [mm] | z [mm] |
|-----|---|----------------------|-------------|-----------|-----------|-----------|
| ST_ | B | 1/4 - 1/8 | 770 246 115 | 32 | 17 | 22 |
| ST_ | G | 1/4 - 1/8 | 770 246 215 | 32 | 17 | 22 |
| ST_ | B | 3/8 - 1/4 | 770 246 116 | 35 | 22 | 25 |
| ST_ | G | 3/8 - 1/4 | 770 246 216 | 35 | 22 | 25 |
| • | B | 1/2 - 1/4 | 770 246 117 | 43 | | 30 |
| • | G | 1/2 - 1/4 | 770 246 217 | 43 | | 30 |
| • | B | 1/2 - 3/8 | 770 246 118 | 43 | | 30 |
| • | G | 1/2 - 3/8 | 770 246 218 | 43 | | 30 |
| • | B | 3/4 - 3/8 | 770 246 119 | 48 | | 33 |
| • | G | 3/4 - 3/8 | 770 246 219 | 48 | | 33 |
| • | B | 3/4 - 1/2 | 770 246 120 | 48 | | 33 |
| • | G | 3/4 - 1/2 | 770 246 220 | 48 | | 33 |
| • | B | 1 - 1/2 | 770 246 121 | 55 | | 38 |
| • | G | 1 - 1/2 | 770 246 221 | 55 | | 38 |
| • | B | 1 - 3/4 | 770 246 122 | 55 | | 38 |
| • | G | 1 - 3/4 | 770 246 222 | 55 | | 38 |
| - | B | 1 1/4 - 1/2 | 770 246 123 | 60 | | 41 |
| - | G | 1 1/4 - 1/2 | 770 246 223 | 60 | | 41 |
| • | B | 1 1/4 - 3/4 | 770 246 124 | 60 | | 41 |
| • | G | 1 1/4 - 3/4 | 770 246 224 | 60 | | 41 |
| • | B | 1 1/4 - 1 | 770 246 125 | 60 | | 41 |
| • | G | 1 1/4 - 1 | 770 246 225 | 60 | | 41 |
| - | B | 1 1/2 - 3/4 | 770 246 126 | 60 | | 41 |
| - | G | 1 1/2 - 3/4 | 770 246 226 | 60 | | 41 |
| • | B | 1 1/2 - 1 | 770 246 127 | 63 | | 44 |
| • | G | 1 1/2 - 1 | 770 246 227 | 63 | | 44 |
| • | B | 1 1/2 - 1 1/4 | 770 246 128 | 63 | | 44 |
| • | G | 1 1/2 - 1 1/4 | 770 246 228 | 63 | | 44 |
| - | B | 2 - 1 | 770 246 129 | 70 | | 46 |
| - | G | 2 - 1 | 770 246 229 | 70 | | 46 |
| • | B | 2 - 1 1/4 | 770 246 130 | 70 | | 46 |
| • | G | 2 - 1 1/4 | 770 246 230 | 70 | | 46 |
| • | B | 2 - 1 1/2 | 770 246 131 | 70 | | 46 |
| • | G | 2 - 1 1/2 | 770 246 231 | 70 | | 46 |
| - | B | 2 1/2 - 1 1/2 | 770 246 132 | 83 | | 56 |
| - | G | 2 1/2 - 1 1/2 | 770 246 232 | 83 | | 56 |
| - | B | 2 1/2 - 2 | 770 246 133 | 80 | | 53 |
| - | G | 2 1/2 - 2 | 770 246 233 | 80 | | 53 |
| - | B | 3 - 2 | 770 246 134 | 87 | | 57 |
| - | G | 3 - 2 | 770 246 234 | 87 | | 57 |
| - | B | 3 - 2 1/2 | 770 246 135 | 91 | | 61 |
| - | G | 3 - 2 1/2 | 770 246 235 | 91 | | 61 |